QuBox Enclosure for Cisco 2702I/3702I

Integrated outdoor enclosure + place to install Cisco 2702I/3702I (All-in-one)

The QuBox enclosure for Cisco is an outdoor housing designed specifically for the installation of access point Cisco 2702I/3702I. Custom mounting system ensures easy inegration of Access Point inside the enclosure.
The enclosure can be easily mounted on a wall or mast.
Made from ASA, the enclosure for Cisco 2702I/3702I offers high IP67 protection, guarding the device against dust and water, making it an ideal choice for demanding environments. It is perfectly suited for public spaces such as stadiums, train stations, airports, and hotels, as well as warehouses, factories, and mines.
Available immediately.

IP 67

-40° TO +80°





MECHANICAL SPECIFICATION

MATERIALS	ASA, aluminum, PTFE, Fiberglass
CONNECTOR TYPE	RJ45
INGRESS PROTECTION	IP67
DIMENSIONS	272 x 276 x 96 mm 10.71 x 10.87 x 3.78 inch
WEIGHT	1.8 kg 3.97 lbs
OPERATING TEMPERATURE	From -40°C to 80°C From -40°F to 176°F
ENCLOSURE RECOMMENDED TIGHTENING TORQUE	0.6 - 0.8 Nm
MAST DIAMETER	25-66mm 0.98-2.60 inch

Copyright © 2023, Wireless Instruments. Specifications and information given in this document are subject to change without prior notice.

DIMENSIONS





QuWireless WWW.QUWIRELESS.COM

Sales email: sales@quwireless.com **Tel:** +48 513 900 416

Support email: support@quwireless.com **Website:** www.quwireless.com

Address: Wireless Instruments Sp. z o.o., ul. Kościuszki 27, 52-116 Iwiny, Poland

Copyright © 2023, Wireless Instruments. Specifications and information given in this document are subject to change without prior notice.