QuBox Enclosure for Cisco 3802E

Integrated outdoor enclosure + 4 External NF connectors + place to install Cisco 3802E (All-in-one)

The QuBox enclosure for Cisco is an outdoor housing designed specifically for the installation of access point Cisco 3802E. Custom mounting system ensures easy inegration of Access Point inside the enclosure.
Integrated connectors allow connection to any antenna, and the enclosure can be easily mounted on a wall or mast.
Made from ASA, the enclosure for Cisco 3802E offers high IP68 protection, guarding the device against dust and water, making it an ideal choice for demanding environments. It is perfectly suited for public spaces such as stadiums, train stations, airports, and hotels, as well as warehouses, factories, and mines.
Available immediately.

IP 68

-40° TO +80°





MECHANICAL SPECIFICATION


MATERIALS	ASA, aluminum, PTFE, Fiberglass
CONNECTOR TYPE	RJ45 4x external NF
INGRESS PROTECTION	IP68
DIMENSIONS	272 x 276 x 96 mm 10.71 x 10.87 x 3.78 inch
WEIGHT	1.8 kg 3.97 lbs
OPERATING TEMPERATURE	From -40°C to 80°C From -40°F to 176°F
ENCLOSURE RECOMMENDED TIGHTENING TORQUE	0.6 - 0.8 Nm
MAST DIAMETER	25-66mm 0.98-2.60 inch

Copyright © 2023, Wireless Instruments. Specifications and information given in this document are subject to change without prior notice.

DIMENSIONS







QuWireless
WWW.QUWIRELESS.COM

Sales email: sales@quwireless.com **Tel:** +48 513 900 416
Support email: support@quwireless.com **Website:** www.quwireless.com
Address: Wireless Instruments Sp. z o.o., ul. Kościuszki 27, 52-116 Iwiny, Poland

Copyright © 2023, Wireless Instruments. Specifications and information given in this document are subject to change without prior notice.