

# QuMax for Teltonika RUT956/RUT955

**Integrated outdoor multi-band high power LTE directional antenna + outdoor Wi-Fi omni antenna + GPS antenna + place to install Teltonika RUT956 or RUT955 (All-in-one)**

QuMAX offers the most powerful directional LTE antenna of all QuWireless antennas. It is dedicated to connections with long distance to base station. It is designed to have Teltonika **RUT956, RUT955 or RUT906** router installed inside IP67 enclosure. It is the first choice for fixed installations in industrial environment. **It has embedded also GPS antenna and outdoor Wi-Fi omni antennas.**

**4G**  
LTE**Wi Fi** 2.4GHz**GPS**  
694-2700MHz  
6 dBi  
DIRECTIONAL  
IP 67  
-40° TO +80°

OUTDOOR ANTENNA WORKS **IN ANY**  
WEATHER CONDITIONS, IP67



MOUNTING SYSTEM WITH TWO  
PLANES, 60 DEGREES REGULATION




ANTENNA **PERFECTLY MATCHED** WITH  
THE ROUTER



PASSIVE **POE** SUPPORT



MADE IN **EUROPE**



## LTE ANTENNA SPECIFICATION

FREQUENCY	694 - 960 MHz 1.7 - 2.2 GHz 2.2 - 2.7 GHz
SUPPORTED LTE/5G BANDS	1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 53, 65, 66, 67, 68, 69, 85, 103, n80, n81, n82, n83, n84, n86, n89, n90, n95, n97, n98, n100, n101, n256
GAIN	694 - 960 MHz : 4 dBi 1.7 - 2.2 GHz : 5 dBi 2.2 - 2.7 GHz : 6 dBi
FRONT-TO-BACK	>8 dB
VSWR	<1.30, max <1.80
BEAMWIDTH	90°/90° ±30°
POLARIZATION	Vertical
IMPEDANCE	50 $\Omega$

## WI-FI ANTENNA SPECIFICATION

FREQUENCY	2.4 - 2.5 GHz
GAIN	6 dBi
VSWR	<1.70, max <2.00
BEAMWIDTH	360°/25° ±5°
POLARIZATION	Vertical
IMPEDANCE	50 $\Omega$

## MECHANICAL SPECIFICATION

MATERIALS	ABS, aluminum, PTFE, Fiberglass
CONNECTOR TYPE	RJ45 + 2xNf + 2xNm in external omni wi-fi antenna
INGRESS PROTECTION	IP67
DIMENSIONS	272 x 276 x 96 mm 10.71 x 10.87 x 3.78 inch
WEIGHT	1.8 kg 3.97 lbs
OPERATING TEMPERATURE	From -40°C to 80°C From -40°F to 176°F
MAST DIAMETER	25-60mm 0.98-2.36 inch

## FREQUENCY BANDS

LTE / 4G GSM	<div>694 MHz</div> <div><div>5</div><div>8</div><div>12</div><div>13</div><div>14</div><div>17</div><div>18</div><div>19</div><div>20</div><div>26</div><div>27</div><div>28</div><div>29</div><div>44</div><div>67</div><div>68</div><div>85</div><div>103</div><div>n81</div><div>n82</div><div>n83</div><div>n89</div><div>n100</div></div> <div>960 MHz</div>
LTE / 4G UMTS	<div>1710 MHz</div> <div><div>1</div><div>2</div><div>3</div><div>4</div><div>9</div><div>10</div><div>25</div><div>33</div><div>34</div><div>35</div><div>36</div><div>37</div><div>39</div><div>n80</div><div>n84</div><div>n86</div><div>n95</div><div>n98</div><div>n101</div></div> <div>2170 MHz</div>

**LTE / 4G WCS DARS**

2300  
MHz

30

40

n97

2400  
MHz

**LTE / 4G**

2400  
MHz

7

38

41

53


69

n90


2700  
MHz

## PLOTS


VSWSR for Wi-Fi antenna




VSWSR for LTE antenna





## Gain for Wi-Fi antenna





## Gain for LTE antenna





## LTE from 700MHz to 900MHz





## LTE from 1.71GHz to 2.17GHz



## LTE from 2.3GHz to 2.7MHz



## Wi-Fi 2.4GHz and 5GHz



## DIMENSIONS

